### NH Public Utilities Commission

### **REC Aggregator Portal**

MPLIC 7#98/16pml:53

New Users CLICK HERE to setup your account for this form. Creating an account enables you to partially complete the form and return later to finish it or to make changes after the form is submitted. Be sure to create your account BEFORE entering information into the form, or the information will be lost.

Existing Users CLICK HERE
Basic Information
Who is submitting this request?
Aggregator
Aggregator Batch Number
KE030216
Are you registered in NH
<ul><li>Yes</li><li>No</li></ul>
Aggregator name
Knollwood Energy - 14625
NH Reg #
Aggregator Email
karenton@knollwoodenergy.com
Other Aggregator name
Other aggregator email address
Facility Name
Facility Owner Name
Adam Wilcox

Facility Owner email
wilcox.adam@gmail.com
Owner Phone
603-731-5178
Facility Address
773 High St.
Facility Town/City
Candia
Facility State
NH
Facility Zip
03034
O No  Mailing Address
Mailing Town/City
Mailing State
Mailing Zip
Primary Contact
Karen Tenneson
Primary Contact
Facility Primary Contact
karenton@knollwoodenergy.com

Other Email Address
Facility Information
Class
II
Utility
Eversource
Other Utility Name
To obtain a GIS ID contact:
James Webb
408 517 2174
jwebb@apx.com
GIS ID (include "NON")
NON71388
Date of Initial Operation
02/02/2016
Facility Operator Name, if applicable
Panel Quantity
21
Panel Make
SunEdison
Panel Model
F270
Panel Rated Output
270
System capacity based on panels
5670

Inverter Quantity
21
Inverter Make
Enphase Energy
Add'l Inverter Quantity
NA
Additional Inverter Make
None
Rated Output - Primary Inverter
215
Rated Output - Additional Inverter
System capacity based on single inverter make
4515
System capacity based on two inverter types
System capacity in kW as stated on the interconnection agreement
Revenue Grade Meter Make
Hialeah
Was this facility installed directly by the customer (no electrician involved)?
O Yes  O No
Electrician Name & Number
Troy Diamond 12218M
Troy Blamona 122 fem
Other Electrician Name & Number
Installation Company
Granite State Solar

Other Installation Company Name
Other Inst. Company Address
Other Inst. Company City
Other Inst. Company State
Other Inst. Company Zip
Independent Monitor Name & Company
Paul Button - Energy Audits Unlimited
Other Monitor Name and Company
Is the installer also the equipment supplier?
Yes
O No
Equipment Vendor
Please attach your completed interconnection agreement including Exhibit B.
https://fs30.formsite.com/jan1947/files/f-5-99-6235252_r0e0Et5E_N4503_Wilcox_PVCertificate_of_
The project described in this application will meet the metering requirements of PUC 2506 including:
Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor or a designated representative.
A revenue quality meter is used to measure the electricity generated.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.

A copy of the facility's interconnection agreement is attached.

Please attach additional document here

https://fs30.formsite.com/jan1947/files/f-5-168-6235252\_fBzJbN5J\_Wilcox\_NHOS.pdf

Please attach additional document here

Kn Ja

https://fs30.formsite.com/jan1947/files/f-5-173-6235252\_4HWmlbbf\_N4503\_Wilcox\_PV\_-\_Processed\_

Aggregator statement of accuracy

Sign your name using a mouse or, if you are using a touch-screen device, a stylus or other pointer.

**Print Name** 

Karen Tonnesen

**Date Signed** 

03/02/2016

### EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

DEGEIVED NOV 03 2015

Simplified Process Interconnection Application and Service Agreement

		Eversource Applic	cation Project ID#:	N4503
Contact Information:				
		· · ·		
Legal Name and Address of Interconnect Customer or Company Name (print): Ac	ing Customer (	or, Company name, if ap	propriate)	
	AUTI TYTICOX			
Contact Person, if Company:				
Mailing Address: <u>773 High St</u> City: Candia	N.	lew Hampshire	····	
	13 testes.		Zip Code:	03034
Telephone (Daytime): (603) 731-5178		(Evenin		
Facsimile Number:		E-Mail Address:	wilcox.adam@gmail.c	om
Alternative Contact Information (e.g.,	System installa	tion contractor or coording	nating company, if a	opropriate):
Name: Granite State Solar				
Mailing Address: 197 North Main St				
	State: <u>N</u>	lew Hampshire	Zip Code:	03303
relephone (Daytime): (603) 369-4318		(Evenin	g):	
facsimile Number:		E-Mail Address:	justin@granitestatesol	ar.com
Electrical Contractor Contact Informa	tion (if annran	mintale.		
Vame:	tron (ii approp	nac;		
Mailing Address:	<del></del>	**************************************		
	State:	***************************************		
elephone (Daytime):	State:		Zip Code:	Seators of the Control of the Contro
acsimile Number:		(Evening	3):	
acsimite (Mimper:		E-Mail Address: _		
acility Site Information:				
acility (Site) Address: 773 High St				
ity: Candia	State:	NH	Zip Code:	03034
leatric				
ervice Company: <u>Eversource</u>	Account N	umber: 56939864088 V	Meter Num	ber: S71023970
ccount and Meter Number: Please consu	lt an actual Eye	ersource electric bill and	enter the correct Acc	ount Number and Mater
umber on this application. If the facility	is to be installe	d in a new location, pleas	se provide the Evers	ource Work Request number
		and the control of th		
versource Work Request #				
on-Default' Service Customers Only:				
ompetitive Electric				
nergy Supply Company:				
ustomay's with a Compatitive Com-			secount Number:	
ustomer's with a Competitive Energy Su	ppiy Company	snoula verify the Terms	& Conditions of thei	r contract with their Energy

### EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

## Simplified Process Interconnection Application and Service Agreement

Facility Machine Information:					
Generator/	Model Nan	ne &	* *		
Inverter Manufacturer: Enphase	Number:		/. ## ·	Overet	ity: 21 /
Nameplate Rating: 225 , 219 (kW)	(kVA) 24		to)	Phase: Single	
Nameplate Rating: The AC Nameplate rating of the			3)	rnase: Single	Three
System Design Capacity: 4.729 (kW)	150		***	— —	
	(kV	A) Battery	Backup: Yes	No .	
System Design Capacity: The system total of the in sum of the AC nameplate ratings of all inverters.			multiple invert	ers installed in the	system, this is the
Net Metering: If Renewably Fueled, will the account	int be Net Meter	red? Yes	No 🗆	4)	
Prime Mover: Photovoltaic Reciprocating		Fuel Cell	Turbine	Other	
Energy Source: Solar Wind Hydro		Vatural Gas	Fuel Oil	Other	
	<del>-</del>		Y don Oir [	Out.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Inverter-based Generating Facilities:	iai				
UL 1741 / IEEE 1547.1 Compliant (Refer To Part	Puz OAG Camalia	nas Dath Fau I.			
Yes No	ac 200 Compila	uce fain Pof in	werter Units, P	art Puc 906.01 Inve	rter Requirements)
The standard UL 1741.1 dated May, 2007 or later,	"Investore Con	contour and On			
Systems," addresses the electrical interconnection	design of variou	verters, and Co	ntrollers for Us	se With independe	nt Power
- value and equipment to a Nationally Recognized	l lesting Labora	tory (NRTL) il	hat verifies con	nalianna with II	1 17/11 1 Thin
term Listed is then marked on the equipm	ent and sunno	orting docume	entation Pla	oca inaluda anv	locumentation
provided by the inverter manufacturer describi	ng the inverter	's UL 1741/IE	EE 1547.1 list	ing.	
Washing and					
External Manual Disconnect Switch:					
An External Manual Disconnect Switch shall be in	stalled in accord:	ance with 'Part	Puc 905 Techni	ical Requirements I	or
Interconnections For Facilities, Puc 905.01 Requirem	ents For Disconn	iect Switches an	id 905.02 Discor	inect Switch.'	
- Committee					
Location of External Manual Disconnect Switch:	vext to the met	er /			
Project Estimated Install Date: November		Project Estimat	ed In-Service I	Date: November	
Interconnecting Customer Signature:			Ber Bride		
I hereby certify that, to the best of my knowledge, and Conditions for the best of the	ll of the inform	ation provided	in this applica	ion is true and I a	ree to the Terms
and Conditions for Simplified Process Interconn	ections attached	i hereto:			
Customer Signature: Cd	Tirle	Homeowne	r.	Dotat	10/1/15
Please include a one-line and/or three-line diagra					
point in relation to the customer service panel and	the Engrenuers	usuuuuun. Di matar eeebat	agram must ii	iaicate the genera	tor connection
returned.	Liverbourge	meier sockei.	Applications	wunoui such a aid	igram may be
hain international control of the second		······································		***************************************	
일을 된 어떻게 되어 그 모양하는 것 만들어요. 그					
	For Eversour	ce Use Uniy			
Approval to Install Facility:					
Installation of the Facility is approved contingent up	on the Terms a	nd Conditions	For Simplified	Process Interconn	ections of this
Agreement, and agreement to any system modificat	ions, if required.				
Are system modifications required? Yes No	To be	Determined [	]		
1111111111	1		راه در این از این از این از از این از		
Company Signature: [[] Wall Wo	Hu	Title:	DR. ENGIN	VEEL Date:	11-4-15
Eversource SPIA rev. 03/14					

# EVERSOURCE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

### Terms and Conditions for Simplified Process Interconnections

Company waives inspection/Witness Test: Yes	No Ó	Date of inspection/Witness Test:	
	7		

- Construction of the Facility. The Interconnecting Customer may proceed to construct the Facility in compliance with the specifications of its
  Application once the Approval to Install the Facility has been signed by the Company. Such Approval relates only to the Eversource and Puc
  900 electrical interconnection requirements, and does not convey any permissions or rights associated with permits, code enforcement,
  easements, rights of way, set back, or other physical contrutruction issues.
- 2. Interconnection and operation. The Interconnecting Customer may operate Facility and interconnect with the Company's system once the all of the following has occurred:
  - 2.1. Municipal Inspection. Upon completing construction, the Interconnecting Customer will cause the Facility to be inspected or otherwise certified by the local electrical wiring inspector with jurisdiction.
  - 2.2. Certificate of Completion. The Interconnecting Customer returns the Certificate of Completion to the Agreement to the Company at address noted.
  - 2.3. Company has completed or waived the right to inspection.
- 3. Company Right of Inspection. The Company will make every attempt within ten (10) business days after receipt of the Certificate of Completion, and upon reasonable notice and at a mutually convenient time, conduct an inspection of the Facility to ensure that all equipment has been appropriately installed and that all electrical connections have been made in accordance with the Interconnection Standard. The Company has the right to disconnect the Facility in the event of improper installation or failure to return Certificate of Completion. All projects larger than 10 kVA will be witness tested, unless waived by the Company.
- 4. Safe Operations and Maintenance. The Interconnecting Customer shall be fully responsible to operate, maintain, and repair the Facility.
- 5. Disconnection. The Company may temporarily disconnect the Facility to facilitate planned or emergency Company work.
- 6. Metering and Billing. All renewable Facilities approved under this Agreement that qualify for net metering, as approved by the Commission from time to time, and the following is necessary to implement the net metering provisions:
  - 6.1. Interconnecting Customer Provides: The Interconnecting Customer shall furnish and install, if not already in place, the necessary meter socket and wiring in accordance with accepted electrical standards. In some cases the Interconnecting Customer may be required to install a separate telephone line.
  - 6.2. Company Installs Meter. The Company will make every attempt to furnish and install a meter capable of net metering within ten (10) business days after receipt of the Certificate of Completion if inspection is waived, or within 10 business days after the inspection is completed, if such meter is not already in place.
- 7. Indemnification. Interconnecting Customer and Company shall each indemnify, defend and hold the other, its directors, officers, employees and agents (including, but not limited to, Affiliates and contractors and their employees), harmless from and against all liabilities, damages, losses, penalties, claims, demands, suits and proceedings of any nature whatsoever for personal injury (including death) or property damages to unaffiliated third parties that arise out of, or are in any manner connected with, the performance of this Agreement by that party, except to the extent that such injury or damages to unaffiliated third parties may be attributable to the negligence or willful misconduct of the party seeking indemnification.
- 8. Limitation of Liability. Each party's liability to the other party for any loss, cost, claim, injury, liability, or expense, including reasonable attorney's fees, relating to or arising from any act or omission in its performance of this Agreement, shall be limited to the amount of direct damage actually incurred. In no event shall either party be liable to the other party for any indirect, incidental, special, consequential, or punitive damages of any kind whatsoever.
- 9. Termination. This Agreement may be terminated under the following conditions:
  - 9.1. By Mutual Agreement. The Parties agree in writing to terminate the Agreement.
  - 9.2. By Interconnecting Customer. The Interconnecting Customer may terminate this Agreement by providing written notice to Company.
  - 9.3. By Company. The Company may terminate this Agreement (1) if the Facility fails to operate for any consecutive 12 month period, or (2) in the event that the Facility impairs or, in the good faith judgment of the Company, may imminently impair the operation of the electric distribution system or service to other customers or materially impairs the local circuit and the Interconnecting Customer does not cure the impairment.
- 10. Assignment/Transfer of Ownership of the Facility. This Agreement shall survive the transfer of ownership of the Facility to a new owner when the new owner agrees in writing to comply with the terms of this Agreement and so notifies the Company.
- 11. Interconnection Standard. These Terms and Conditions are pursuant to the Company's "Interconnection Standards for Inverters Sized Up to 100 kVA" for the Interconnection of Customer-Owned Generating Facilities, as approved by the Commission and as the same may be amended from time to time ("Interconnection Standard"). All defined terms set forth in these Terms and Conditions are as defined in the Interconnection Standard (see Company's website for the complete document).

Eversource SPIA rev. 03/14

#### Eversource

## Interconnection Standards For Inverters Sized Up To 100 kVA Exhibit B - Certificate of Completion for Simplified Process Interconnections

ME	G		W		M
	FEB	02	2016	3	
Ву	and the based party and the same	-	-		

Installation Information: Check if	owner-installed		
Customer or Company Name (print): Adam W	ilcox		
Contact Person, if Company:			
Mailing Address: 773 High St			
City: Candia	State: New Hampshire	Zip Code:	03034
Telephone (Daytime): (603) 731-5178	(Evening):		
Facsimile Number:	E-Mail Address: wilcox.ad	am@gmail.com	
Facility Information:	Eversource Me	ter#_\$71 023 9	70
Address of Facility (if different from above):			
City:	State;	Zip Code:	
Electrical Contractor Contact Information:			
Electrical Contractor's Name (if appropriate):G	ranite State Solar		
Mailing Address: 197 North Main St			
City: Boscawen	State: New Hampshire	Zip Code:	03303
Telephone (Daytime): <u>(603) 369-4318</u>	(Evening):		
Pacsimile Number:	E-Mail Address:_justin@gr	anitestatesolar	.com
License number: 0366 C			
Date of approval to install Pacility granted by the (	Zompany: 11/03/15		
Eversource Application ID number: #N 4503			
Inspection:			
The system has been installed and inspected in con	npliance with the local Building/Ele	ctrical Code of:	
city: Candis	County: Pock 1452		
Signed (Local Electrical Wiring Inspector, or attack	internation (Value and Control of the Property of the Cartesian Control		
Name (printed): Double Rmc	,000.7		16
Customer Certification;			
I hereby certify that, to the best of my knowledge, a Completion is true and correct. This system has be standards. Also, the initial start-up test required by	en installed and shall be operated in	compliance with	
Please remember to provide digital photos of the required), the existing Eversource meter, the investment of the Customer Signature.			
As a condition of interconnection you are required	to send/fax a copy of this form to:		

Eversource
Distributed Generation
780 North Commercial Street
P. O. Box 330, Manabester, NH 03105-0330
Fax No.: (603) 634-2924

### New Hampshire PUC REC Certification Application Owner Statements

The information provided on this application for New Hampshire Renewable Energy Certificate eligibility is accurate to the best of my knowledge and I authorize Knollwood Energy to act on my behalf in filing said application.

The project described in this application will meet the metering requirements of PUC 2506 including:

Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor, or a designated representative.

A revenue quality meter is used to measure the electricity generated.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.

TATALATAT	VVIDCOA
Printed	Name of signature owner
Ch	Lhi
Signatu	re of system owner

ADAMA SATIS COM